



Super Alkaline

Super Alkaline is formulated to meet the increasing power demand of everyday devices for value conscious customers. Dependable performance builds customer loyalty through the dependable power of Super Alkaline batteries. With a long shelf life, this extensive product range offers a reliable product for a wide range of applications for consumers of all ages.

Features

- ★ Long lasting
- ★ Dependable performance
- ★ Up to 7 years shelf life
- ★ Extensive range including AA, AAA, C, D and 9 Volt, N, J ... and so on
- ★ Blister packs, multi packs and value packs are available

Major Applications

Walkie talkies, remote control, smoke alarms and flashlights



Standard Packs



15A-U2 AA 1.5V
(AA 2's)



15A-U4 AA 1.5V
(AAA 4's)



15A-U8 AA 1.5V
(AA 8's)



24A-U2 AAA 1.5V
(AAA 2's)




24A-U4 AAA 1.5V
(AAA 4's)




24A-U8 AAA 1.5V
(AAA 8's)



25A-U2 AAAA 1.5V
(AAAA 2's)



13A-U2 D 1.5V
(D 2's)




14A-U2 C 1.5V
(C 2's)



1604A-U1 9V
(9V 2's)



910A-U2 N 1.5V
(N 2's)



312A-U1 4.5V
(312A 1's)

Super Alkaline



Model No.	Dimension (mm)		Voltage (V)	Cross Reference			
	Diameter	Height		IEC	JIS	Energizer	Other
13A	34.2	61.5	1.5	LR20	LR20	E95	D
14A	26.2	50.0	1.5	LR14	LR14	E93	C
15A	14.5	50.5	1.5	LR6	LR6	E91	AA
24A	10.5	44.5	1.5	LR03	LR03	E92	AAA
25A	8.3	42.5	1.5	LR8D425	-	E96	AAAA
312A	62.0(L) x 22.0(W) x 67.0(H)		4.5	3LR12	-	-	-
908A	66.0(L) x 66.0(W) x 111.0(H)		6.0	4LR25	4LR25X	528	-
910A	12.0	30.2	1.5	LR1	LR1	-	N
1604A	26.5(L) x 17.5(W) x 48.5(H)		9.0	6LF22	6LF22	522	-
1412AP	35.5(L) x 9.2(W) x 48.4(H)		6.0	4LR61	4LR61	539	J